



d	Principal dimensions (mm)						Weight(Kg)		Bearing Number		Basic Load Rating (kN)		Limiting Speed (rpm)	
	D	T	B	C	r _{min}	r _{max}	Inner ring	Outer ring	Inner ring	Outer ring	Dynamic Cr	Static Cor	Grease	Oil
95.250	148.430	28.575	28.971	21.433	3.0	3.0	1.18	0.553	42375	42584	137	215	1700	2500
	149.225	31.750	28.971	24.608	3.5	3.3	1.18	0.711	42376	42587	137	215	1700	2500
	152.400	39.688	36.322	30.162	3.5	3.2	1.47	1.060	594	592 A	180	282	1700	2700
	152.400	39.688	36.322	33.338	3.5	3.3	1.47	1.120	594	592	180	282	1700	2700
	168.275	41.275	41.275	30.162	3.5	3.3	2.47	1.240	683	672	220	342	1500	2300
	171.450	47.625	48.260	38.100	3.5	3.3	2.91	1.670	77375	77675	279	412	1500	2300
	180.975	47.625	48.006	38.100	3.5	3.3	3.25	1.990	776	772	253	372	1500	2100
	190.500	57.150	57.531	44.450	8.0	3.3	4.57	2.550	864	854	352	497	1400	2100
	190.500	57.150	57.531	46.038	8.0	3.3	5.00	2.240	HH 221440	HH 221410	387	517	1400	2100
96.838	148.430	28.575	28.971	21.433	3.5	3.0	1.13	0.553	42381	42584	137	215	1700	2500
	149.225	31.750	28.971	24.606	3.5	3.3	1.13	0.711	42381	42587	137	215	1700	2500