


ANSI & BS Series Chain




Chain No.	Reel Length	Pitch	Roller diameter	Width between inner plates	Pin diameter	Pin length		Inner plate depth	Plate thickness	Minimum tensile strength	Average tensile strength	Weight per meter
		p	d1 max	b1 min	d2 max	L max	Lc max	h2 max	T max			
		ft	mm	mm	mm	mm	mm	mm	mm			
40-1	100	12.70	7.95	7.85	3.96	16.60	17.80	12.00	1.50	14.10/3205	17.5	0.62
50-1	100	15.875	10.16	9.40	5.08	20.70	22.20	15.09	2.03	22.20/5045	29.4	1.02
60-1	100	19.05	11.91	12.57	5.94	25.90	27.70	18.00	2.42	31.80/7227	41.5	1.50
80-1	50	25.40	15.88	15.75	7.92	32.70	35.00	24.00	3.25	56.70/12886	69.4	2.60
06B-1	100	9.525	6.35	5.72	3.28	13.15	14.10	8.20	1.30	9.00	10.40	0.41
08B-1	100	12.700	8.51	7.75	4.45	16.70	18.20	11.80	1.60	18.00	19.40	0.69
10B-1	100	15.875	10.16	9.65	5.08	19.50	20.90	14.70	1.70	22.40	27.50	0.93
12B-1	100	19.050	12.07	11.68	5.72	22.50	24.20	16.00	1.85	29.00	32.20	1.15

Heavy Duty Series Chain

Chain No.	Reel Length	Pitch	Roller diameter	Width between inner plates	Pin diameter	Pin length		Inner plate height	Plate thickness	Minimum tensile strength	Average tensile strength	Weight per meter
		p	d1 max	b1 min	d2 max	L max	Lc max	h2 max	T max			
		ft	mm	mm	mm	mm	mm	mm	mm			
60H	50	19.050	11.91	12.57	5.94	29.20	31.00	18.00	3.25	31.80	42.70	1.87
80H	50	25.400	15.88	15.75	7.92	36.20	37.70	24.00	4.00	56.70	71.40	3.10

Agricultural Chain



Chain No.	Reel Length	Pitch	d1	b1	h2	d2	L	U.T.S KN	A.T.S KN	KG/ft
S32	100	29.21	11.43	15.88	13.4	4.45	26.7	8	9.6	0.28