


6000 Stainless Steel Series



Part No.	d	D	B	Load Rating	Load Rating	N.W.
	mm			Cr(N)	Cor(N)	(kg)
SS6000-2RS	10	26	8	3 890	1 570	0.018
SS6001-2RS	12	28	8	4 350	1 910	0.020
SS6002-2RS	15	32	9	4 750	2 720	0.028
SS6003-2RS	17	35	10	5 100	2 610	0.038
SS6004-2RS	20	42	12	7 980	4 050	0.064
SS6005-2RS	25	47	12	8 550	4 680	0.077
SS6006-2RS	30	55	13	11 200	6 620	0.111
SS6007-2RS	35	62	14	13 600	8 240	0.146
SS6008-2RS	40	68	15	14 300	9 240	0.180
SS6009-2RS	45	75	16	17 800	12 100	0.233
SS6010-2RS	50	80	16	18 500	13 300	0.252

6200 Stainless Steel Series

Part No.	d	D	B	Load Rating	Load Rating	N.W.
	mm			Cr(N)	Cor(N)	(kg)
SS6200-2RS	10	30	9	4 350	1 910	0.030
SS6201-2RS	12	32	10	5 780	2 440	0.035
SS6202-2RS	15	35	11	6 490	2 980	0.044
SS6203-2RS	17	40	12	8 130	3 830	0.065
SS6204-2RS	20	47	14	10 900	5 320	0.104
SS6205-2RS	25	52	15	11 900	6 300	0.128
SS6206-2RS	30	62	16	16 500	9 070	0.193
SS6207-2RS	35	72	17	21 800	12 300	0.273
SS6208-2RS	40	80	18	24 700	14 300	0.354
SS6209-2RS	45	85	19	27 800	16 400	0.386
SS6210-2RS	50	90	20	29 800	18 600	0.446

6300 Stainless Steel Series

Part No.	d	D	B	Load Rating	Load Rating	N.W.
	mm			Cr(N)	Cor(N)	(kg)
SS6300-2RS	10	35	11	6 880	2 750	0.052
SS6301-2RS	12	37	12	8 250	3 350	0.058
SS6302-2RS	15	42	13	9 720	4 350	0.081
SS6303-2RS	17	47	14	11 600	5 290	0.111
SS6304-2RS	20	52	15	13 500	6 270	0.141
SS6305-2RS	25	62	17	17 500	9 000	0.232
SS6306-2RS	30	72	19	22 700	12 000	0.340
SS6307-2RS	35	80	21	28 300	15 400	0.432

6800 Stainless Steel Series

Part No.	d	D	B	Load Rating	Load Rating	N.W. (kg)
	mm			Cr(N)	Cor(N)	
SS6800-2RS	10	19	5	1 462	672	0.005
SS6801-2RS	12	21	5	1 632	832	0.006
SS6802-2RS	15	24	5	1 759	1 008	0.007
SS6803-2RS	17	26	5	1 895	1 168	0.008
SS6804-2RS	20	32	7	3 417	1 968	0.019
SS6805-2RS	25	37	7	3 655	2 352	0.022
SS6806-2RS	30	42	7	3 782	2 752	0.026
SS6807-2RS	35	47	7	4 029	3 056	0.029
SS6808-2RS	40	52	7	4 190	3 344	0.033
SS6809-2RS	45	58	7	5 278	4 304	0.04
SS6810-2RS	50	65	7	5 244	4 608	0.052

6900 Stainless Steel Series

Part No.	d	D	B	Load Rating	Load Rating	N.W. (kg)
	mm			Cr(N)	Cor(N)	
SS6900-2RS	10	22	6	2 295	1 016	0.009
SS6901-2RS	12	24	6	2 456	1 168	0.011
SS6902-2RS	15	28	7	3 680	1 800	0.016
SS6903-2RS	17	30	7	3 901	2 048	0.018
SS6904-2RS	20	37	9	5 423	2 944	0.036
SS6905-2RS	25	42	9	5 958	3 640	0.042
SS6906-2RS	30	47	9	6 154	4 008	0.045
SS6907-2RS	35	55	10	9 265	6 200	0.073
SS6908-2RS	40	62	12	11 645	7 936	0.108
SS6909-2RS	45	68	12	11 985	8 720	0.122
SS6910-2RS	50	72	12	12 325	9 360	0.125

600 & 620 Stainless Steel Series

Part No.		d	D	B	Load Rating	Load Rating	N.W. (kg)
Shielded	Rubber Sealed	mm			Cr(N)	Cor(N)	
SS604-ZZ	SS604-2RS	4	12	4	815	277	0.002
SS605-ZZ	SS605-2RS	5	14	5	1 130	405	0.004
SS606-ZZ	SS606-2RS	6	17	6	1 921	670	0.005
SS607-ZZ	SS607-2RS	7	19	6	1 989	711	0.008
SS608-ZZ	SS608-2RS	8	22	7	2 805	1 096	0.012
SS609-ZZ	SS609-2RS	9	24	7	2 847	1 144	0.014
SS623-ZZ	SS623-2RS	3	14	4	538	174	0.002
SS624-ZZ	SS624-2RS	4	13	5	1 105	388	0.003
SS625-ZZ	SS625-2RS	5	16	5	1 470	536	0.005
SS626-ZZ	SS626-2RS	6	19	6	1 989	711	0.008
SS627-ZZ	SS627-2RS	7	22	7	-	-	-
SS628-ZZ	SS628-2RS	8	24	8	2 830	1 128	0.01
SS629-ZZ	SS629-2RS	9	26	8	3 893	1 576	0.02

Stainless Steel Ball Bearings

630 Stainless Steel Series

Part No.		d	D	B	N.W. (kg)
Shielded	Rubber Sealed	mm			
SS634-ZZ	SS634-2RS	4	16	5	0.004
SS635-ZZ	SS635-2RS	5	19	6	0.005
SS636-ZZ	SS636-2RS	6	22	7	0.006
SS638-ZZ	SS638-2RS	8	28	9	0.008

680 & 690 Stainless Steel Series

Part No.		d	D	B	N.W. (kg)
Shielded	Rubber Sealed	mm			
SS683-ZZ	SS683-2RS	3	7	3	0.002
SS685-ZZ	SS685-2RS	5	11	5	0.004
SS686-ZZ	SS686-2RS	6	13	5	0.005
SS687-ZZ	SS687-2RS	7	14	5	0.008
SS688-ZZ	SS688-2RS	8	16	4	0.012
SS689-ZZ	SS689-2RS	9	17	5	0.014
Separator					
SS693-ZZ	SS693-2RS	3	8	3	0.002
SS694-ZZ	SS694-2RS	4	11	4	0.003
SS695-ZZ	SS695-2RS	5	13	4	0.005
SS696-ZZ	SS696-2RS	6	15	5	0.008
SS697-ZZ	SS697-2RS	7	17	5	0.01
SS698-ZZ	SS698-2RS	8	19	6	0.01
SS699-ZZ	SS699-2RS	9	20	6	0.02